

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS  
OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office JUN 20 2008

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_ Map filed SEP 18 2007 under 76181

The applicant The David M. Little Family Trust Agreement

P.O. Box 128 of Yerington  
Street Address or P.O. Box City or Town  
Nevada 89447, hereby make(s) application for permission to change the  
State and Zip Code

☒ Point of diversion ☒ Place of use ☐ Manner of use ☐ of a portion

of water heretofore appropriated under (Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)  
Permit No. 69185

1. The source of water is Underground  
Name of stream, lake, underground, spring or other sources
2. The amount of water to be changed 91.32 AFA - 0.224 CFS  
Second foot, acre-feet One second foot equals 448.83 gallons per minute.
3. The water to be used for Irrigation and Domestic Use  
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use.
4. The water heretofore used for Irrigation and Domestic Use  
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)  
The SE1/4 of the SW1/4 of Section 20, T14N, R26E, MDM, or at a point from which the W1/4 corner of Section 29, T14N, R26E, MDM bears South 27°09'42" West, a distance of 3,002.00 feet. Refer to supporting map filed under Application #76181.
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)  
the NW1/4 SE1/4 Section 1, T13N, R25E, MDM, or at a point from which the SE corner of said Section 1, bears S 57°59'46" E, a distance of 2777.17 feet. Refer to supporting map filed under Permit No. 30259 (Cert. No. 10421).

STATE ENGINEERS OFFICE  
2008 JUN 20 PM 4:13  
RECEIVED

108-27

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Located within the SE1/4 of the SW1/4 of Section 20; the NE1/4 of the SW1/4 of Section 20; the SE1/4 of Section 20; the W1/2 of the SW1/4 of Section 21; the E1/2 of the SW1/4 of Section 21; the E1/2 of the NW1/4 of Section 21; the SE1/4 of Section 21; the NE1/4 of Section 21; the W1/2 of the SW1/4 of Section 22; the W1/2 of the NW1/4 of Section 22; the E1/2 of the NW1/4 of Section 29; the NE1/4 of Section 29; T14N, R26E, MDM. Refer to supporting map filed under Application No. 76181.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Within the SE1/4 SE1/4 of Section 1, E1/2 NE1/4, E1/2 SE1/4 of Section 12, T13N, R25E, MDM, SW1/4 SW1/4 of Section 6, W1/2 NW1/4 and W1/2 SW1/4 of Section 7, T13N, R26E, MDM. Refer to supporting map filed under Permit No. 69185.

9. Proposed use will be from January 1 to December 31 of each year.  
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Drilled well, pump and motor with totalizing meter.

12. Estimated cost of works \$25,000.00

13. Estimated time required to construct works Two (2) Years

If well completed, describe well

14. Estimated time required to complete the application of water to beneficial use Ten (10) Years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary):  
(Failure to provide a detailed description may cause a delay in processing.)

The total combined duty of water rights under Base Permits 69182, 69186, 69187, 69190 & 69192 and any water of the Walker River Decree C-125, and storage water appurtenant to the place of use shall not exceed 278.0 acre-feet annually for the irrigation of 69.5 acres within the proposed place of use.

16. Miscellaneous remarks:

(775) 747-8550

Phone No.

sue@summitnv.com

E-mail

By Sue Ferguson, Agent

Print or type name clearly

Signature, applicant or agent

Summit Engineering Corporation

Company Name

5405 Mae Anne Avenue

Street Address or P.O. Box

Reno, NV 89523

City, State, Zip Code

**APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT**

2008 JUN 20 PM 4:13  
STATE ENGINEERS OFFICE

RECEIVED

**\$150 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION**